

SOL-MARK 7 SOLAR LED BOLLARD

FEATURES PHOTO

Available with optional reflective cone for greater light output.

Auto Function

AutoFunction

AutoFunction

AutoFunction

Available with optional reflective cone for greater light output.

Automatic on and off by solar battery system

> Robust Very high quality robust design

Easy Installation and maintenance

free

> **UV Protection** UV Protected against discoloration

Range Different colours available.

Customisation of product available-

depending on requirements
Path and Road Junction, Public
Piazza, Harbour/Dock/River Side,

Gold Course, Resort, Car park



SPECIFICATIONS APPLICATION

> **Dimensions** 120dia x 800mm

> Weight 8.2kg

Application

> Construction High Strength Polycarbonate and

Steel Body, Silicone Cover

> Charging Device Rechargeable Battery

Operating time Continuous Operation for up to 15

days with full charge

> **Operating Temp** neg 20 to 70deg C

Battery Protection

Battery Protection

shock from overcharging

Magnet shuts off circuit to save

battery power during warehousing

Lighting Mode Steady

Green

Lighting Colour
 Red

White



Lightsense Australia Pty Ltd

TEL 1300 944 822 EML info@lightsense.com.au
WEB www.lightsense.com.au ADD PO Box 613, West Perth WA 6872